FORESTRY AND ARBORICULTURE

Application

40.1 This Part applies to every workplace where forestry or arboriculture operations take place.

Safe work procedures

40.2 An employer must

- (a) develop and implement safe work procedures respecting the forestry or arboriculture operations that occur in the workplace;
- (b) train workers in the safe work procedures; and
- (c) ensure that workers comply with the safe work procedures.

Restricted access

40.3 An employer must ensure that only persons involved in the forestry or arboriculture operation have access to the area where those operations take place.

No work on hillside

40.4 When forestry or arboriculture operations take place on a hillside, an employer must ensure that no logs or trees are allowed to roll downhill if the logs or trees would create a risk to any person below the site of the operations.

Lodged tree procedures

- Where a tree has become lodged, an employer must ensure that
 - (a) the lodged tree is felled immediately;
 - (b) the lodged tree is not climbed;
 - (c) the lodged tree is not lowered by felling another tree onto it; and
 - (d) the lodged tree is not removed by cutting the supporting tree.

Position of signal person

40.6 When a signal person is used in the loading or unloading of logs, an employer must ensure that the signal person stands at one end of the logs at a safe distance from the logs and remains visible to the operator of powered mobile equipment who is loading or unloading the logs.

Operation of powered mobile equipment

- **40.7(1)** An employer must ensure that the operator of powered mobile equipment used in forestry or arboriculture operations
 - (a) determines that any worker in the area is in a safe position before initiating or continuing the motion of the equipment; and
 - (b only operates the equipment from the position or seat intended for that purpose.
- **40.7(2)** An employer must ensure that powered mobile equipment is only started and operated by the worker designated by the employer to operate the equipment.

Designated checkpoints

- **40.8(1)** An employer must designate checkpoints marked with signs along a haul road, including a checkpoint at each entrance to a highway.
- **40.8(2)** The operator of powered mobile equipment or another vehicle hauling forest products on a haul road must stop at each checkpoint to inspect the load and, if necessary, resecure the tie-down assemblies.

Haul roads

- **40.9(1)** An employer must
 - (a) ensure that a haul road is constructed and maintained so as to provide for the safe movement of persons, vehicles and forest products;
 - (b) provide sufficient bypasses or turnout spaces on the haul road to allow vehicles to pass safely;
 - (c) erect and maintain conspicuous, legible, reflectorized signs to provide adequate warning of each bridge, crossroad, rail crossing, blind curve or steep grade on the haul road; and
 - (d) place signs at suitable locations along the route indicating
 - (i) the minimum allowable distance to be maintained between vehicles, and
 - (ii) the maximum allowable speed.
- **40.9(2)** When a haul road is located on ice, an employer must instruct each worker driving a vehicle on an ice road about the hazards involved, the

precautions to be taken and the rescue techniques required in case of an ice breakthrough.

- **40.9(3)** An employer and prime contractor must ensure that
 - (a) a bridge on a haul road is designed and constructed to safely support any load that may pass over the bridge; and
 - (b) a bridge on a haul road is inspected and maintained on a regular basis to ensure its structural integrity.

Speed limit on haul road

- **40.10(1)** No operator of powered mobile equipment or another vehicle used in a forestry operation may operate it on a haul road in excess of
 - (a) the posted maximum allowable speed; or
 - (b) the speed at which the vehicle can be brought to a complete stop within a distance of one-half of the length of the worker's unobstructed view of the haul road.
- **40.10(2)** When driving on a haul road, the operator of powered mobile equipment or another vehicle used in a forestry operation must
 - (a) when following another vehicle, do so at a distance that is reasonable and prudent having due regard for the speed of the vehicle, the traffic and the condition of the haul road; and
 - (b) when meeting or overtaking another vehicle, pass the other vehicle with due caution.

Means of warning vehicles

40.11 An employer must ensure that powered mobile equipment and any other vehicle used in a forestry operation is provided with an effective means of warning oncoming vehicles on a haul road.